

# Inspection Report Summary

|                 |                           |
|-----------------|---------------------------|
| Department:     | Graphics Lab              |
| Machine:        | Ultimaker2+ 3D printer    |
| Pass / Fail:    | 50 % Passed / 50 % Failed |
| Time to Audit:  | 0 minutes                 |
| Auditor:        | Kristin Petaski           |
| Inspected Date: | May 13, 2026              |

# Inspection Report

**Facility:** Acadia Junior High


**Department:** Graphics Lab

**Machine:** Ultimaker2+ 3D printer

**Model Number:**

**Manufacturer:** Ultimaker

**Serial Number:**



Machine Specific

| Activity/Tasks | Hazards                    | Corrective Action | Pass/Fail | Severity | Exposure | Avoidance | Total | Current Safeguards          | Recommended Improvements |
|----------------|----------------------------|-------------------|-----------|----------|----------|-----------|-------|-----------------------------|--------------------------|
| Print part     | Burn, entanglement , crush |                   | Pass      | 1        | 2        | 2         | PR2 4 | 2025 Audit - Full enclosure |                          |

| #  | Question                                                         | Corrective Action | Pass/Fail |
|----|------------------------------------------------------------------|-------------------|-----------|
| 1. | Safe Work Procedure posted?                                      |                   | Fail      |
| 2. | Are all Emergency Stops clearly marked and functioning properly? |                   | N/A       |

**Safety Rep Signature:**

