

Inspection Report Summary

Department:	Rod Machining
Machine:	Hydmech Saw WC 93 (M85)
Pass / Fail:	100 % Passed / 0 % Failed
Time to Audit:	9 minutes
Auditor:	Romel Marquez
Inspected Date:	May 28, 2026

Inspection Report

Facility: Burmac

Department: Rod Machining

Machine: Hydmech Saw WC 93 (M85)

Model Number: H-18A

Manufacturer: Hydmech

Serial Number: B10175205A



Machine Specific

Activity/Tasks	Hazards	Corrective Action	Pass/Fail	Severity	Exposure	Avoidance	Total	Current Safeguards	Recommended Improvements
Cut Parts	Laceration - reaching into cutting area		Pass	3	2	2	PR1 12	Physical distance, Light curtain, Slow blade descent	
Load material	Laceration/Amputation - reaching into machine		Pass	3	2	2	PR1 12	Physical distance, automatic infeed	
Remove material	Laceration/Crush - reaching into machine		Pass	3	2	2	PR1 12	Light Curtain, physical distance, automatic outfeed	

#	Question	Corrective Action	Pass/Fail
1.	Safe Work Procedure posted?		Pass
2.	Are all Emergency Stops clearly marked and functioning properly?		Pass

Department Specific

#	Question	Corrective Action	Pass/Fail
1.	Are Emergency Exits clear and unobstructed?		Pass
2.	Are Emergency Exits clearly identified?		Pass
3.	Are Fire Extinguishers/Fire Control Equipment clearly visible and identified?		Pass
4.	Have the Fire Extinguishers/Fire Control Equipment been recently inspected?		Pass
5.	Are the Eyewash Stations working and clean, and unobstructed?		Pass
6.	Are all the sprinkler heads in your location unobstructed?		Pass
7.	Is Access to the Electrical Panels clear and unobstructed?		Pass
8.	Are carts in good condition?		Pass
9.	Is the lighting all functioning properly and adequate for the area?		Pass
10.	Are noise levels adequate with PPE, any high impulse or continual noise?		Pass
11.	Is the temperature in the area comfortable to work in?		Pass
12.	Are all air quality systems working (dust, fumes or vapour present)?		Pass
13.	Is the housekeeping (floor and work surfaces) sufficient for the area?		Pass
14.	Are the employees using their PPE?		Pass
15.	Are all controlled substances labelled in accordance with GHS standards?		Pass

Safety Rep Signature:



Supervisor Signature:

