

Inspection Report Summary

Department:	Skiving
Machine:	Coining Machine WC 89
Pass / Fail:	100 % Passed / 0 % Failed
Time to Audit:	10 minutes
Auditor:	Eugenio Reyes
Inspected Date:	Jun 23, 2026

Inspection Report

Facility: Burmac

Department: Skiving

Machine: Coining Machine WC 89

Model Number: N/A

Manufacturer: N/A

Serial Number: N/A



Machine Specific


Activity/Tasks	Hazards	Corrective Action	Pass/Fail	Severity	Exposure	Avoidance	Total	Current Safeguards	Recommended Improvements
Clamp Part	Crush - reaching into machine		Pass	2	2	2	PR18	two hand controls, slow descent speed	Two hand controls, slow clamp speed, barriers around rear and sides
Load part	Crush - accidental activation		Pass	2	2	2	PR18	Slow descent speed, two hand controls	Slow descent speed, two hand controls, all safeguarding controls wired through a safety relay

#	Question	Corrective Action	Pass/Fail
1.	Safe Work Procedure posted?		Pass
2.	Are all Emergency Stops clearly marked and functioning properly?		Pass

Department Specific

#	Question	Corrective Action	Pass/Fail
1.	Are Emergency Exits clear and unobstructed?		Pass
2.	Are Emergency Exits clearly identified?		Pass
3.	Are Fire Extinguishers/Fire Control Equipment clearly visible and identified?		Pass
4.	Have the Fire Extinguishers/Fire Control Equipment been recently inspected?		Pass
5.	Are the Eyewash Stations working and clean, and unobstructed?		Pass
6.	Are all the sprinkler heads in your location unobstructed?		Pass
7.	Is Access to the Electrical Panels clear and unobstructed?		Pass
8.	Are carts in good condition?		Pass
9.	Is the lighting all functioning properly and adequate for the area?		Pass
10.	Are noise levels adequate with PPE, any high impulse or continual noise?		Pass
11.	Is the temperature in the area comfortable to work in?		Pass
12.	Are all air quality systems working (dust, fumes or vapour present)?		Pass
13.	Is the housekeeping (floor and work surfaces) sufficient for the area?		Pass
14.	Are the employees using their PPE?		Pass
15.	Are all controlled substances labelled in accordance with GHS standards?		Pass

Safety Rep Signature:



Supervisor Signature:

